

**CENTRAL CALIFORNIA IVF PROGRAM  
WOMEN'S SPECIALTY AND FERTILITY CENTER  
CLOVIS, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

| Type of ART <sup>a</sup> |      |                            |     | Patient Diagnosis          |     |                          |     |
|--------------------------|------|----------------------------|-----|----------------------------|-----|--------------------------|-----|
| IVF                      | 100% | <b>Procedural Factors:</b> |     | Tubal factor               | 16% | Other factor             | <1% |
| GIFT                     | 0%   | With ICSI                  | 73% | Ovulatory dysfunction      | 11% | Unknown factor           | 9%  |
| ZIFT                     | 0%   | Unstimulated               | 0%  | Diminished ovarian reserve | 23% | <i>Multiple Factors:</i> |     |
| Combination              | 0%   | Used gestational carrier   | 1%  | Endometriosis              | 4%  | Female factors only      | 7%  |
|                          |      | Used PGD                   | 0%  | Uterine factor             | 0%  | Female & male factors    | 18% |
|                          |      | With eSET                  | 0%  | Male factor                | 12% |                          |     |

**2010 PREGNANCY SUCCESS RATES**

Data verified by H. Michael Synn, MD

| Type of Cycle  | Age of Woman         |             |                       |        |                    |
|--|----------------------|-------------|-----------------------|--------|--------------------|
|  | <35                  | 35–37       | 38–40                 | 41–42  | 43–44 <sup>d</sup> |
| <b>Fresh Embryos from Nondonor Eggs</b>                                  |                      |             |                       |        |                    |
| Number of cycles   | 53                   | 39          | 27                    | 16     | 5                  |
| Percentage of embryos transferred resulting in implantation <sup>b</sup> | 31.3                 | 21.2        | 12.0                  | 16.2   | 0 / 8              |
| Percentage of cycles resulting in pregnancies <sup>b</sup>               | 41.5                 | 38.5        | 18.5                  | 4 / 16 | 0 / 5              |
| Percentage of cycles resulting in live births <sup>b,c</sup>             | 30.2                 | 28.2        | 18.5                  | 4 / 16 | 0 / 5              |
| (Confidence Interval)  | (18.3–44.3)          | (15.0–44.9) | (6.3–38.1)            |        |                    |
| Percentage of retrievals resulting in live births <sup>b,c</sup>         | 32.7                 | 32.4        | 22.7                  | 4 / 14 | 0 / 3              |
| Percentage of transfers resulting in live births <sup>b,c</sup>          | 37.2                 | 34.4        | 5 / 19                | 4 / 14 | 0 / 2              |
| Percentage of transfers resulting in singleton live births <sup>b</sup>  | 27.9                 | 21.9        | 4 / 19                | 3 / 14 | 0 / 2              |
| Percentage of cancellations <sup>b</sup>                                 | 7.5                  | 12.8        | 18.5                  | 2 / 16 | 2 / 5              |
| Average number of embryos transferred                                    | 2.2                  | 2.7         | 2.6                   | 2.6    | 4.0                |
| Percentage of pregnancies with twins <sup>b</sup>                        | 27.3                 | 5 / 15      | 1 / 5                 | 2 / 4  |                    |
| Percentage of pregnancies with triplets or more <sup>b</sup>             | 4.5                  | 0 / 15      | 0 / 5                 | 0 / 4  |                    |
| Percentage of live births having multiple infants <sup>b,c</sup>         | 4 / 16               | 4 / 11      | 1 / 5                 | 1 / 4  |                    |
| <b>Frozen Embryos from Nondonor Eggs</b>                                 |                      |             |                       |        |                    |
| Number of transfers  | 34                   | 8           | 7                     | 2      | 0                  |
| Percentage of transfers resulting in live births <sup>b,c</sup>          | 5.9                  | 1 / 8       | 1 / 7                 | 0 / 2  |                    |
| Average number of embryos transferred                                    | 2.5                  | 2.4         | 2.4                   | 2.0    |                    |
| <b>All Ages Combined<sup>e</sup></b>                                     |                      |             |                       |        |                    |
| <b>Donor Eggs</b>  | <b>Fresh Embryos</b> |             | <b>Frozen Embryos</b> |        |                    |
| Number of transfers  | 2                    |             | 4                     |        |                    |
| Percentage of transfers resulting in live births <sup>b,c</sup>          | 1 / 2                |             | 0 / 4                 |        |                    |
| Average number of embryos transferred                                    | 2.0                  |             | 2.3                   |        |                    |

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Central California IVF Program, Women's Specialty and Fertility Center

|               |     |                               |     |                             |     |
|---------------|-----|-------------------------------|-----|-----------------------------|-----|
| Donor egg?    | Yes | Gestational carriers?         | Yes | SART member?                | Yes |
| Donor embryo? | Yes | Cryopreservation?             | Yes | Verified lab accreditation? | Yes |
| Single women? | Yes | (See Appendix C for details.) |     |                             |     |

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.